

# CAUTIONARY NOTES: FORWARD LOOKING STATEMENTS AND DISCLAIMER

This presentation contains "forward-looking information" which may include, but is not limited to, statements with respect to future financial or operating performance of the Freegold Ventures Limited, (the "Corporation") its subsidiaries and their respective projects, the potential for future resources expansion, the Corporation's plans regarding its properties, the future price of minerals, the estimation of mineral resources, amount and quality of metal products recoverable from the Corporation's mineral resources, the timing and amount of estimated future production, costs of production, capital, operating and exploration expenditures, costs and timing of the development of new deposits, costs and timing of future exploration, timing and prospects of obtaining required permits. Often, but not always, forward-looking information can be identified by the use of words such as "plans", "expects", "is expected", "budget", "scheduled", "", "intends", "anticipates", or "believes", or variations (including negative variations of such words and phrases), or state that certain actions, events or results "may", "could", "would", "might", or "will be taken", "occur" or "be achieved". In making the forward-looking statements in this presentation, the Corporation has applied certain factors and assumptions that it believes are reasonable, including that there is no material deterioration in general business and economic conditions; that there are no adverse changes in relevant laws or regulations; that the supply and demand for, deliveries of, and the level and volatility of prices of metals and minerals develop as expected; that the Corporation receives any regulatory and governmental approvals for its projects on a timely basis; that the Corporation is able to obtain financing on reasonable terms; that the Corporation is able to procure equipment and supplies in sufficient quantities and on a timely basis; that engineering and exploration timetables and capital costs for the Corporation's exploration plans are not incorrectly estimated or affected by unforeseen circumstances and that any environmental and other proceedings or disputes are satisfactorily resolved. however, forward-looking information involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of the Corporation and/or its subsidiaries to be materially different from any future results, performance or achievements expressed or implied by the forward-looking statements. Such factors include, among others, the inherent risks involved in the exploration and development of mineral properties, the uncertainties involved in interpreting drilling results and other geological data, fluctuating metal prices, the possibility of unanticipated costs and expenses, uncertainties relating to the availability and costs of financing needed in the future and uncertainties related to metal recoveries, those factors discussed or referred to under "Risk Factors" and under "Risk Factors" in the Corporation's amended and restated annual information form for the year ended December 31, 2020. Although the Corporation has attempted to identify important factors that could cause actual actions, events or results to differ materially from those described in forward-looking statements, there may be other factors that cause actions, events or results to differ from those anticipated, estimated or intended. Forward-looking information contained herein are made as of the date of this presentation based on the opinions and estimates of management at that time. There can be no assurance that forward-looking statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. The Corporation does not undertake to update any forward-looking statements, except as required by applicable securities laws. The Qualified Person (as defined in NI 43-101) who has approved the scientific and technical content in this presentation is A.W. Jackson, PGeo and Vice President Exploration and Development for the Corporation. Mineral resources are not mineral reserves and by definition do not demonstrate economic viability. There is no certainty that all or any part of the mineral resource will be converted into mineral reserves. An "Indicated Mineral Resource" is that part of a Mineral Resource for which quantity, grade or quality, densities, shape and physical characteristics can be estimated with a level of confidence sufficient to allow the appropriate application of technical and economic parameters, to support mine planning and evaluation of the economic viability of the deposit. An "Inferred Mineral Resource" is that part of a Mineral Resource for which quantity and grade or quality can be estimated on the basis of geological evidence and limited sampling and reasonably assumed, but not verified. lease refer to the technical report entitled "Technical Report, Golden Summit Project, NI 43-101 Preliminary Economic Assessment, Fairbanks North Star Borough, Alaska, USA" dated January 20, 2016 prepared by Tetra Tech, Inc. ("Tetra Tech") and Mark J. Abrams, C.P.G. and Gary Giroux, P.Eng., M.A.Sc of Giroux Consultants Ltd., as amended and restated dated May 11, 2016, and the technical report entitled "NI 43-101 Updated Technical Report for the Shorty Creek Project, Livengood-Tolovana Mining District, Alaska" dated April 2nd, 2018 prepared by John R. Woodman, C.P.G. for additional information regarding the Golden Summit Project and the Shorty Creek Project, respectively. Such technical reports have been filed under the Corporation's profile at www.sedar.com.

### **OBJECTIVES**



Advance GOLDEN SUMMIT through pre-feasibility by end of 2022

# **FREEGOLD VENTURES LIMITED**

Is an Alaska-based exploration and development company focused on offering investors exposure to gold and copper

We have demonstrated expertise in developing resources and attracting major partners



Continue exploration drilling and development of SHORTY CREEK



Increase shareholder value though continued exploration and development

## SHARE CAPITALIZATION



**Share Price** 

\$0.67



**Shares Outstanding** 

334,049,336



**Options** 

5,395,000



Warrants

56,736,460



**Fully Diluted** 

396,180,826

Market Capitalization

\$224 Million

### **KEY SHAREHOLDERS**



Management & Board

4,670,887



Eric Sprott

78,948,504

# **MANAGEMENT**

Kristina Walcott
President & CEO

Alvin Jackson
VP Exploration &
Development

Gordon Steblin
Chief Financial Officer

### **BOARD OF DIRECTORS**

### Ron Ewing - Chairman

Former Mining Executive – previously Executive VP Lundin Mining

### David Knight

Senior Partner – Weirfoulds, LLP

### Gary Moore, B. Comm, MBA

VP and CFO of Goldcliff Resource Corporation

### Kristina Walcott

President & CEO (Freegold)

### Alvin Jackson, P.Geo,

VP Exploration & Development (Freegold) former CEO/COO EuroZinc Mining Corp.

### Garnet Dawson, P.Geo

Geologist, Director GoldMining Inc.

### Glen Dickson, P.Geo

President and CEO of Meliadine Gold Ltd.

### Greg Hanks, B. Comm


Former Senior Manager, Integris Credit Union

### Reagan Glazier

Geologist


# FREEGOLD INVESTMENT HIGHLIGHTS

- Two major projects
- Gold and Copper
- Mining friendly jurisdiction with proven potential to host multiple significant deposits
- Well funded 40,000 metre diamond drill program in progress at Golden Summit
- Orilling to commence on the Shorty Creek copper gold project in July program fully funded by partner South32. Freegold is the Operator.



# **ALASKA**

- A stable jurisdiction
- O Long mining history
- Significant, underexplored mineral resources
- Native land claims resolved in 1971
- Top 5 in the Fraser
  Institute Investment
  Attractiveness Index
  (February 2020 Report)





# **GOLDEN SUMMIT: HIGHLIGHTS**



Golden Summit hosts a multi-million-ounce resource that is open to expansion and is road accessible




Wide open for additional discovery. Only one area has been systematically explored



Few other gold resources delineated that are the size of Golden Summit

# **MAJOR PROJECTS OF THE TINTINA**

Golden Summit – Taking its place within the Major Projects of the Tintina



# INFRASTRUCTURE IN A PROLIFIC GOLD DISTRICT



One of the richest placer gold districts in Alaska




+6.75M ounces of placer gold produced from creeks draining Golden Summit



Nearby, Fort Knox has produced +8M ounces through year-round milling and heap leaching





30 minutes from Fairbanks, Alaska's second largest city, where power, water and a labour force are accessible





# GEOLOGY FAIRBANKS DISTRICT






Schematic cross section – intrusive related gold deposits. Data From Lang and Baker, 2001, modified by Avalon Development and Freegold

### RESOURCE DELINEATION TIMELINE

### **CONTINUING LOW DISCOVERY COSTS**



### **GOLDEN SUMMIT RESOURCES**

Tetra Tech PEA, January 2016

PEA contemplates a two-stage development


Initial Oxide heap leach (+80% recovery)


(02) Sulphide Processing (+90% recovery) would commence in Year 9

2017: Drilling confirmed northern oxide-expansion potential. 2020 - 2021 drilling results are continuing to demonstrate the current resource can be expanded with broad intercepts above resource grade being returned.

| Pit<br>Constrained<br>US\$1300 Gold | Grade<br>(g/t) Au | Tonnage    | Contained<br>Ounces |  |
|-------------------------------------|-------------------|------------|---------------------|--|
| Indicated                           | 0.69              | 61,460,000 | 1,363,000           |  |
| Inferred                            | 0.69              | 71,500,000 | 1,584,000           |  |

| Gold Price | NPV @<br>5%(Millions) |
|------------|-----------------------|
| \$1,100    | \$19                  |
| \$1,200    | \$107                 |
| \$1,300    | \$188                 |
| \$1,400    | \$265                 |
| \$1,500    | \$339                 |





The term "Mineral Resource" used above is defined per NI 43-101. Though Indicated Mineral Resources have been estimated for the Project, this PEA includes Inferred Mineral Resources that are too speculative for use in defining Mineral Resources. Standalone economics have not been undertaken for the measured and indicated mineral resources and as such no reserves have been estimated for the Project. Please note that the PEA is preliminary in nature, that it includes inferred mineral resources that are considered too speculative geologically to have economic considerations applied to them that would enable them to be categorized as mineral reserves. There is no certainty that the PEA will be realized. Mineral reserves that are not mineral reserves do not have demonstrated economic viability. Without limitation, statements regarding potential mineralized in mineral resources, and future plans and objectives of the Corporation are resourced as a result of the following factors, among others: changes in the price of mineral market conditions, risks inherent in mineral evaluation and mining operations, the uncertainty of future profitability and uncertainty of access to additional capital. See Freegold's Amended and Restated Annual Information Form for the year ended December 31st, 2020 filed under Freegold's profile at www.sedar.com for a detailed discussion of the risk factors associated with Freegold's poreitions.

## **GOLDEN SUMMIT RECENT HISTORY**

# FOCUSED ON EXPLORATION DRILLING, CULTURAL AND ENVIRONMENTAL STUDIES TO ADVANCE PROJECT THROUGH PRE-FEASIBILITY



# **GOLDEN SUMMIT: CONNECTING CLEARY TO DOLPHIN**



Dolphin - GSDL2001

Evaluate the extent of the multiple veins and stockwork vein system that comprise the Cleary Hill Vein Swarm (CVS)

Delineate high grade veins with closer drill spacing within the broader zones of higher-grade mineralization



Cleary - GS2017



- Evaluate extent of the Cleary Hill Vein Swarm (CVS)

  Delineate high grade veins with closer drill spacing
- Define a potentially higher-grade zone both along strike and to depth in order to increase the overall resource grade
- Increase the density of drilling to upgrade the resource categories
- Advance the project through pre-feasibility in 2022
- In addition to expansion drilling also:
  - Additional metallurgical work
  - Geotechnical drilling and condemnation drilling
  - Cultural and environmental baseline studies

# 2020 DRILLING



Intersected broad zones of higher-grade mineralization which appear to plunge towards the Dolphin Intrusive



Higher grade zones consist of multiple veins and micro fractured veinlets. Not sufficient density of drilling yet to correlate high grade vein intercepts



Intense silification, and sericitization present



# **MINERALIZATION**

# Hosted within the intrusive and surrounding meta-sediments



Cleary Hill, Wackwitz, Colorado and Wyoming veins all comprise the CVS



Multi-phase Dolphin intrusive is the likely driver of the mineralization found in the CVS



## **GSDL2001**

# Hole GSDL2001 was collared in the immediate footwall of the Dolphin intrusive



Intense silification and veining throughout a broad zone



Longest intercept of higher grade at Golden Summit to date









(Select photos from 387 - 510 M.)

# **GSDL2001**



Bottom 20 metres averaged 9.87g/t gold



Intense silicification



Hole terminated because of hole conditions

(Selected photos from near bottom of hole GSDL2001 +500 M.)










# CURRENT DRILL PLAN MAP

Over 16,000 metres completed

Results Pending

Continuing to expand and define the CVS



# 2020 DRILL RESULTS

Broad zones of greater than existing resource grade mineralization intersected



| Hole #    | Hole Depth | Dip | Azimuth | From  | То    | Interval | Au    |
|-----------|------------|-----|---------|-------|-------|----------|-------|
|           | (m)        |     |         | (m)   | (m)   | (m)      | g/t   |
| Dolphin   | , ,        |     |         | , ,   | , ,   | , ,      |       |
| GSDL2001  | 548        | -80 | 360     | 290.6 | 548   | 257.4    | 2.94  |
| including |            |     |         | 365.2 | 367.2 | 2        | 169.5 |
| including |            |     |         | 360   | 548   | 188      | 3.69  |
| including |            |     |         | 528   | 548   | 20       | 9.87  |
| GSDL2002  | 576        | -70 | 360     | 156   | 168   | 12       | 2.3   |
|           |            |     |         | 270   | 319.7 | 49.7     | 0.93  |
|           |            |     |         | 370.6 | 507   | 136.4    | 1.02  |
| GSDL2003  | 587.6      | -70 | 360     | 21    | 54    | 33       | 1.32  |
|           |            |     |         | 306   | 452.1 | 146.1    | 0.8   |
|           |            |     |         | 504   | 507   | 3        | 107   |
|           |            |     |         | 525   | 5.580 | 55.5     | 0.95  |
| GSDL2004  | 420        | -70 | 360     | 19.5  | 84    | 64.5     | 0.67  |
|           |            |     |         | 252   | 420   | 168      | 0.78  |
| including |            |     |         | 327   | 420   | 93       | 0.93  |
| GSDL2005  | 645        | -80 | 360     | 18    | 591   | 573      | 1.21  |
| including |            |     |         | 273   | 591   | 318      | 1.83  |
| including |            |     |         | 472   | 591   | 119      | 3.78  |
| including |            |     |         | 588   | 591   | 3        | 131.5 |
| GSDL2007  | 573        | -75 | 360     | 225   | 573   | 348      | 1     |
| including |            |     |         | 225   | 315   | 90       | 1.55  |
| including |            |     |         | 351   | 573   | 222      | 0.91  |
| Cleary    |            |     |         |       |       |          |       |
| GSDL2008  | 442.4      | -70 | 360     | 174.7 | 406.1 | 231.5    | 1.2   |
| Including |            |     |         | 190.8 | 241.7 | 50.9     | 1.86  |
| including |            |     |         | 318.4 | 375.7 | 57.3     | 2.07  |

# **DRILLING ONGOING THROUGHOUT 2021**

Highest grade intercept by Freegold 588 g/t Au over 1.7 metres – GS2017

> Follow up drilling in the vicinity of GS2017 - 4 holes completed

| Hole #    | Hole Depth            | Dip | Azimuth | From  | То    | Interval | Au    |
|-----------|-----------------------|-----|---------|-------|-------|----------|-------|
|           | (m)                   |     |         | (m)   | (m)   | (m)      | g/t   |
| Dolphin   |                       |     |         |       |       |          |       |
| GSDL2010  | 518                   | -70 | 360     | 203   | 512   | 309      | 1.16  |
| 00011010  | 525                   |     |         | 455   | 458   | 3        | 31    |
| GSDL2011  | 598.1                 | -70 | 360     | 20    | 62    | 42       | 0.53  |
|           |                       |     |         | 278   | 378   | 100      | 0.97  |
|           |                       |     |         | 404.2 | 561.8 | 157.6    | 1.34  |
|           |                       |     |         | 557.7 | 558   | 0.3      | 66.7  |
| GSDL2016  | 583.3                 | -80 | 360     | 167   | 479.6 | 312.6    | 0.95  |
| including |                       |     |         | 191   | 394   | 203      | 1.03  |
| Cleary    |                       |     |         |       |       |          |       |
| GSDL2009  | 492.3                 | -70 | 360     | 171.6 | 452.2 | 280.6    | 1.35  |
| including |                       |     |         | 236.2 | 329.8 | 93.6     | 2.67  |
| including |                       |     |         | 236.2 | 239.3 | 3.1      | 55.6  |
| GSDL2014  | 517.2                 | -80 | 360     | 258.2 | 348.2 | 90       | 1.8   |
|           |                       |     |         | 418.2 | 458.6 | 40.4     | 0.86  |
| GS2015    | 595.5                 | -70 | 360     | 20    | 69.7  | 49.7     | 0.42  |
| including |                       |     |         | 162   | 508   | 346      | 1.13  |
| including |                       |     |         | 462.5 | 464   | 1.5      | 86.4  |
| GS2017    | 489.5                 | -70 | 360     | 16.2  | 57.8  | 41.6     | 0.48  |
| including |                       |     |         | 300.5 | 398.7 | 98.2     | 3.07* |
| including |                       |     |         | 305.1 | 306.8 | 1.7      | 588   |
| including | nterval was cut to 88 |     |         | 370.6 | 398.7 | 28.1     | 1.99  |

<sup>`588</sup> g/t Au in the interval was cut to 88 g/t for purposes of reporting

# NEW DRILLING RESULTS IN DOLPHIN AND CLEARY ZONES

| ( < / ) | New assay results received |
|---------|----------------------------|
|         |                            |

| First two holes of the 2021 |
|-----------------------------|
| Program                     |

| $\bigcirc$ | Over 16,000 metres           |
|------------|------------------------------|
|            | completed since drilling re- |
|            | commenced in February        |

| Results pending 2021 – 80 | D |
|---------------------------|---|
| holes planned             |   |

| Zone    | Hole #    | Hole<br>Depth | Dip | Azimuth     | From  | То    | Interval | Au    |
|---------|-----------|---------------|-----|-------------|-------|-------|----------|-------|
| Zone    | 11010 11  | (m)           | Бір | /\ZIIIIatii | (m)   | (m)   | (m)      | g/t   |
|         |           | (111)         |     |             | (111) | (111) | (111)    | 8/ 5  |
| Dolphin | GS2101    | 692.7         | -70 | 360         | 210.1 | 441.1 | 231      | 1.16  |
|         | including |               |     |             | 391.4 | 392.3 | 0.9      | 24.6  |
|         | including |               |     |             | 437   | 439.2 | 2.2      | 13.55 |
|         | including |               |     |             | 467   | 577   | 110      | 1.54  |
|         | including |               |     |             | 486.3 | 488.9 | 2.6      | 21.3  |
|         | GS2018    | 656           | -70 | 360         | 82.2  | 433.1 | 350.9    | 0.51  |
|         | including |               |     |             | 227   | 245.5 | 18.5     | 0.95  |
|         | including |               |     |             | 319   | 429.6 | 110.6    | 0.65  |
|         | GS2108    | 485.9         | -70 | 360         | 189.6 | 485.9 | 296.3    | 1.4   |
|         | including |               |     |             | 189.6 | 230.7 | 41.1     | 3.99  |
|         | including |               |     |             | 224.6 | 226.6 | 2        | 15.05 |
|         | including |               |     |             | 228.4 | 229.7 | 1.3      | 51.8  |
| Cleary  | GSDL2013  | 423.7         | -80 | 360         | 358.7 | 399.1 | 40.4     | 1.29  |







GSDL2108: 310 – 311.5m - 1.5m 5.25 g/t



GSDL2108: 354.7 – 355.7m – 1.0 m 0.99 g/t



GSDL2108: 355.7 – 357.6 – 1.9 m 5.15 g/t 357.6 – 358.7m – 1.1 m – 1.26 g/t



GSDL2108: 358.7 - 360.7m - 2 m 0.69 g/t




GSDL2108: 360.7 - 361.8 m - 1.1m 0.77 g/t

**LOOKING WEST** 

**GS2108** 

Drilled on the northern side of the Tolovana vein zone.

Intersected 41.4 metres grading 3.99 g/t Au within a broad zone of 296.3 metres grading 1.4 g/t Au




**LOOKING WEST** 

GS2101

GS2101 – drilled to the northeast of the contact of the Dolphin intrusive.

Continues to show broad zone of +1g/t mineralization with significant sections better than 1.5 g/t Au.



# **2021 EXPLORATION**



Camp & strict COVID protocols in place in order to limit contact with the community

Resource expansion drilling

Determining the orientation of the higher-grade mineralization intersected in the 2020 program

Testing the Cleary Vein Swarm (CVS) at depth and the area to the south – including the Colorado, Wyoming and Wackwitz veins zones along strike and to the east

Upgrading the resource categories to advance the project through pre-feasibility

Testing other areas that may have potential to host additional resources






# GOLDEN SUMMIT HISTORY:

# Looking In The Right Area

- Over 80 documented gold occurrences
  - 6.75 million ounces of placer gold produced from the streams draining Golden Summit
- Three other areas with historic production:
  - American Eagle
  - Newsboy
  - Hi Yu





## **SHORTY CREEK**

# **Contract** Located 125 km northwest of Fairbanks

- → 328 State of Alaska mining claims (~ 31,000 acres)
- Long term lease agreement subject to a 2% NSR
- Granted an Option to South32 to earn 70% of Shorty Creek Property for a US \$30 Million Commitment: March 2019

# 5 Year Option - South 32 must incur minimum exploration expenditures of:

- Year 1 \$2.0 million
- Year 2/3 \$2.3million\*
- Year 4 \$3.0 million

- Year 5 \$3.0 million
- For an aggregate of \$10.3 million

**Freegold** is the Operator during the Option Phase

South32 can exercise the option at any time after Year 1 by committing \$30 million less any expenditures made to date

\*Limited work was completed during 2020. 2021 Drilling to commence in July











In a 100 sq km area



Targets identified by Airborne Magnetics





# HILL 1835 2015/2016 DRILLING

### SC 15-03

Determined copper mineralization is directly associated with magnetic high

| From  | То    |      | Metres (m) | Cu Eq % | Cu%  | Au ppm | Ag ppm | W03% |
|-------|-------|------|------------|---------|------|--------|--------|------|
| 78.6  | 371.2 |      | 292.6      | 0.37    | 0.26 | 0.12   | 3.23   | NSV  |
| 279.8 | 371.2 | incl | 91.4       | 0.71    | 0.55 | 0.14   | 7.02   | NSV  |

### SC 16-01

125 metre step out from SC 15-03

| From  | То    |      | Metres (m) | Cu Eq % | Cu%  | Au ppm | Ag ppm | W03%  |
|-------|-------|------|------------|---------|------|--------|--------|-------|
| 86.1  | 520.6 |      | 434.5      | 0.63    | 0.36 | 0.12   | 7.46   | 0.034 |
| 300.6 | 345.6 | incl | 45         | 1.07    | 0.57 | 0.38   | 9.90   | 0.04  |

### SC 16-02

120 metre step out from SC 16-01

| From  | То    |      | Metres (m) | Cu Eq % | Cu%  | Au ppm | Ag ppm | W03%  |
|-------|-------|------|------------|---------|------|--------|--------|-------|
| 88    | 497.6 |      | 409.6      | 0.49    | 0.29 | 0.06   | 5.66   | 0.03  |
| 135.5 | 229.0 | incl | 93.5       | 0.75    | 0.38 | 0.07   | 8.96   | 0.065 |







Freegold has not as yet collected sufficient data to determine how the downhole drill intervals might relate to the actual true thickness of mineralization. \*Copper equivalent grades are based on metal prices of: copper US\$2.70/lb, gold US\$1280 per oz and silver US\$16 per oz, and tungsten at Us \$220 mtu. Metal recoveries have not been applied in the copper equivalent calculation.

# **HILL 1835 BROAD ZONES OF MINERALIZATION**

### SC 17-01

100 metre step out from Hole 16-01

| From | То  |      | Metres (m) | Cu Eq % | Cu%  | Au ppm | Ag ppm | W03% |
|------|-----|------|------------|---------|------|--------|--------|------|
| 83   | 443 |      | 360        | 0.43    | 0.24 | 0.07   | 4.04   | 0.03 |
|      |     | Incl | 87         | 0.63    | 0.30 | 0.09   | 5.0    | 0.06 |

### SC 17-02

125 metre step out from Hole 17-01

| From | То  |      | Metres (m) | Cu Eq % | Cu%  | Au ppm | Ag ppm | W03% |
|------|-----|------|------------|---------|------|--------|--------|------|
| 77   | 485 |      | 408        | 0.53    | 0.27 | 0.05   | 4.97   | 0.05 |
|      |     | Incl | 339        | 0.60    | 0.30 | 0.05   | 5.72   | 0.06 |

### SC 18-01

200 metres west of Hole SC 15-03

| From | То     |      | Metres (m) | Cu Eq % | Cu%  | Au ppm | Ag ppm | W03%  |
|------|--------|------|------------|---------|------|--------|--------|-------|
| 113  | 555.2  |      | 442.2      | 0.42    | 0.24 | 0.09   | 4.74   | 0.02  |
| 194  | 315.15 | Incl | 121.15     | 0.80    | 0.45 | 0.15   | 10.5   | 0.045 |

### SC 18-02

Located 175 metres southeast of SC 18-01

| From | То    |              | Metres (m) | Cu Eq % | Cu%  | Au ppm | Ag ppm | W03%  |
|------|-------|--------------|------------|---------|------|--------|--------|-------|
| 92   | 534.4 | ALC W        | 442.4      | 0.42    | 0.22 | 0.13   | 4.03   | 0.02  |
| 92   | 407   | Sant Control | 315        | 0.44    | 0.25 | 0.08   | 4.61   | 0.026 |
| 281  | 407   | Incl         | 126        | 0.54    | 0.36 | 0.09   | 6.3    | 0.018 |





# **2019 DRILL RESULTS**

### SC1901A

400 metes northeast of Hole SC15-03 Drilled at an azimuth of 135° and dip of -75°

| Depth (m) | From (m) | To (m) | Metres (m) | Cu%  | Au ppm | Ag ppm |
|-----------|----------|--------|------------|------|--------|--------|
| 336.6     | 225.3    | 324.4  | 99.1       | 0.29 | 0.014  | 1.61   |

### SC1903

240 metres southwest of Hole SC17-02 Drilled at an azimuth of 185° and dip of -70°

| Depth (m) | From (m) | To (m) | Metres (m) | Cu%   | Au ppm | Ag ppm |
|-----------|----------|--------|------------|-------|--------|--------|
| 572       | 251.65   | 505.5  | 253.85     | 0.17  | NSV    | 2.67   |
| incl      | 268.75   | 424    | 155.25     | 0.195 | NSV    | 3.58   |

### SC 1902/1902A

- Drilled at an azimuth of 135° and dip of -70° and -60
- No significant values

### SC 1904 - Hill 1710 Target Area

- Drilled at an azimuth of 135° and dip of -75°
- No significant values






Additionally, a 100 km of induced polarization and 98 km of ground magnetic surveying were completed. 543 soil samples were collected to further expand target areas for future drill programs.

# **NOT JUST COPPER**

Significant Tungsten intercepts include:



# DISCOVERY, EXPLORATION, & PRODUCTION EXPERIENCE

TSX:FVL | OTCQX:FGOVF

### FREEGOLD VENTURES LIMITED

Projects in Alaska, a stable jurisdiction with a long mining history with significant exploration and development upside.

### **GOLDEN SUMMIT**

- 40,000 metre drilling program underway
- Drill Results pending
- Additional discovery & existing resource expansion potential
- Advancing the project through pre-feasibility

### **SHORTY CREEK**

- New copper porphyry discovery with size potential in a new district
- 2,500 metre program to commence in July 2021 fully funded by partner South32
- Freegold is the Operator

Well located, Freegold's projects are continuing to deliver exciting results with significant additional discovery potential

# **GOLDEN SUMMIT: FREQUENTLY ASKED QUESTIONS**

#### WHAT WE ACCOMPLISHED IN 2020?

- Initiated a major drill program based on success of Hole GSDL2001
- Established a full-service camp at Golden Summit
- Put extensive COVID-19 protocols in place
- Used technology to improve efficiency
- Built a strong and flexible onsite geological team

### 2021

- It is expected that over 80 holes will be drilled during 2021.
- Each hole is designed to test the system:
  - Depth
  - Orientation
  - Mineralization boundaries and extents
- Assays will be reported in batches in order to provide a better overview of the results.

#### WHAT KIND OF NEWS FLOW CAN WE EXPECT TO SEE?

- News releases with ongoing assay results
- Drilling will continue at Golden Summit and will commence at Shorty Creek in July
- Assays are taking longer than usual. Freegold is actively working with the lab in order to expedite the results as much as possible.

# HOW IMPORTANT ARE THESE HIGH-GRADE INTERCEPTS? WHAT DO THEY MEAN?

- It is a bulk tonnage target and while it will add to the overall grade, it is not yet possible to isolate the high- grade veins as drilling is too widely spaced to make definitive correlations
- The CVS is a highly altered quartz vein stockwork vein swarm and at this point it is difficult to follow any one particular higher-grade vein over a significant distance. Closer spaced drilling may provide more continuity.